

# LABORHITS

## Set WiFi Temperature Logger testo Saveris 2-T2

The perfect solution for temperature monitoring in the refrigerator



### Features

- Internal data memory up to 10,000 measured values per channel
- Limit values adjustable via testo-Cloud
- E-mail notification when limit values are exceeded
- Current measured values can be read on the display
- Micro USB interface

### The WiFi Temperature logger Set

is suitable for temperature monitoring in refrigerators. The temperature probes with ribbon cable can simply be pushed through the refrigerator sealing. Vials for filling with glycol serve as a temperature buffer. Measurement data is sent to the testo Cloud (online data storage) via wireless LAN and can be accessed and evaluated on all internet-enabled end devices. The testo Cloud Basic package can be accessed free of charge.

### Scope of supply:

WiFi Temperature logger, testo-Cloud access (basic functionality), micro USB cable, wall bracket, batteries, calibration protocol, 2 x penetration probe NTC with ribbon cable, 2 x glycol containers

You can find more external temperature probes in our online shop.

### Specifications

**Sensor type:** NTC  
**Temperature range:** -50 ... 150 °C  
**Accuracy:** ± 0.5 °C  
**Measuring cycle:** 15 min ... 24 h  
**Communication cycle:** 15 min ... 24 h  
**Memory:** 10,000 measured values per channel  
**Dimensions:** 95 x 75 x 30.5 mm  
**Weight:** 240 g  
**Power supply:** 4 x AA AIMn Mignon batteries  
**IP code:** IP 65

Type	PK	Cat. No.
testo Saveris 2-T2 Set	1	6.273 021